10586359 CLSTITLES

Titles of most frequently occurring classifications of patents returned from a search of 10586359 on Feb 22 , 2010

```
(1 OR, 3 XR)
                         RECORD RECEIVER HAVING PLURAL INTERACTIVE LEAVES OR A
           Class 503
COLORLESS COLOR FORMER, METHOD OF USE, OR DEVELOPER THEREFOR
                         . HAVING A COLORLESS COLOR-FORMER. DEVELOPER THEREFOR. OR
          503/200
METHOD OF USE
          503/202
                         .. Color developed by mere decomposition of color-former
          10 (0 OR, 4 XR)
Class 503 RECORD RECEIVER HAVING PLURAL INTERACTIVE LEAVES OR A
  4 503/210
COLORLESS COLOR FORMER, METHOD OF USE, OR DEVELOPER THEREFOR 503/200 . HAVING A COLORLESS COLOR-FORMER, DEVELOPER THEREFOR, OR
METHOD OF USE
          503/210
                         .. Heavy metal reactant
                    (0 OR, 4 XR)
  4 503/226
          Class 503
                         RECORD RECEIVER HAVING PLURAL INTERACTIVE LEAVES OR A
COLORLESS COLOR FORMER, METHOD OF USE, OR DEVELOPER THEREFOR
          503/200
                         . HAVING A COLORLESS COLOR-FORMER, DEVELOPER THEREFOR, OR
METHOD OF
          USE
          503/226
                         ... Spatial relationship specified between color-former and
devel oper
  4 428/329
                    (0 OR, 4 XR)
          Class 428
                          STOCK MATERIAL OR MISCELLANEOUS ARTICLES
                         . WEB OR SHEET CONTAINING STRUCTURALLY DEFINED ELEMENT OR
          428/221
COMPONENT
                         ... Including a second component containing structurally
          428/323
defined particles
           428/328
                         ... Heavy metal or aluminum or compound thereof
          428/329
                         ....Iron oxide or aluminum oxide
                    (2 OR, 2 XR)
    101/467
                          PRĪNTING
          Class 101
           101/130
                          . PLANCGRAPHI C
                         ..Lithographic plate making, and processes of making or
          101/463.1
using copy elements, and elements per se
101/465 ... Making plates
                         ... Making plate surface portions ink repellent or ink
receptive
                         ....Ink receptive
          101/466
          101/467
                         .... By use of radiant energy or heat
                    (0 OR, 4 XR)
ADHESIVE BONDING AND MISCELLANEOUS CHEMICAL MANUFACTURE
    156/ 277
          Class 156
          156/1
                         . METHODS
                         .. Surface bonding and/or assembly therefor
           156/60
          156/277
                         ... With printing
                    (3 OR, 0 XR)
  3 503/201
          Class 503
                         RECORD RECEI VER HAVING PLURAL INTERACTI VE LEAVES OR A
COLORLESS COLOR FORMER, METHOD OF USE, OR DEVELOPER THEREFOR
          503/200
                         . HAVI NG A COLORLESS COLOR-FORMER, DEVELOPER THEREFOR, OR
METHOD OF USE
          503/201
                         .. Method of use, kit, or combined with marking instrument or
or gan
                    (1 OR, 2 XR)
          Class 156
                         ÁDHESIÝE BONDING AND MISCELLANEOUS CHEMICAL MANUFACTURE
                         . METHODS
          156/ 1
          156/60
                         ... Surface bonding and/or assembly therefor
```

Page 1

```
10586359 CLSTITLES
           156/230
                           ... Direct contact transfer of adhered lamina from carrier to
base
           156/239
                           .... Plural superimposed laminae transferred
                           .... Transfer of printing or design
           156/240
                     (1 OR, 2 XR)

STOCK MATERIAL OR MISCELLANEOUS ARTICLES
    428/ 208
           Class 428
           428/98
                           . STRUCTURALLY DEFINED WEB OR SHEET (E.G., OVERALL DIMENSION,
ETC.)
           428/195.1
                           .. Discontinuous or differential coating, impregnation or
bond (e.g., artwork, printing, retouched photograph, etc.)
                          ...Including particulate material .... Free metal or mineral containing
           428/206
           428/208
                     (0 OR, 3 XR)

STOCK MATERIAL OR MISCELLANEOUS ARTICLES
    428/914
           Class 428
           428/914
                     (0 OR, 3 XR)
  3
     101/458
                           PRĪNTI NG
           Class 101
           101/130
                           . PLANCGRAPHI C
           101/453
                          ..Lithographic printing plates
           101/454
                          ...Including metal support having printing or non-printing
surface
           101/458
                           .... Surface contains metal
                     (0 OR, 3 XR)

STOCK MATERIAL OR MISCELLANEOUS ARTICLES
    428/ 172
           Class 428
                           . STRUCTURALLY DEFINED WEB OR SHEET (E.G., OVERALL DIMENSION,
           428/98
ETC.)
           428/156
                           ... Including variation in thickness
           428/172
                           ... Composite web or sheet
                     (0 OR, 2 XR)
3 STOOK MATERIAL OR MISCELLANEOUS ARTICLES
     428/916
           Class 428
           428/916
                           . FRAUD OR TAMPER DETECTING
                     (0 OR, 2 XR)
PRINTED MATTER
    283/94
           Class 283
          283/72 . HAVI NG REVEALABLE CONCEALED INFORMATION, FRAUD PREVENTER OR USE PREVENTER OR DETECTOR, OR I DENTI FI ER
DETECTOR,
           283/94
                           .. Utilizing superposed layers
           O OR, 2 XR)
Class 283
PPINT
283/201
  2 283/904
                           PRINTED MATTER
           283/904
                           . CREDIT CARD
                     (0 OR, 2 XR)
PRINTED MATTER
  2 283/91
           Class 283
                           . HAVING REVEALABLE CONCEALED INFORMATION, FRAUD PREVENTER OR
           283/72
DETECTOR,
          USE PREVENTER OR DETECTOR, OR I DENTIFIER
           283/85
                          .. Utilizing electromagnetic radiation
           283/87
                           ... And incorporated radiation filter
           283/91
                           .... Specific spectral transmittance or reflectance
                     (1 OR, 1 XR)
    283/75
                           PRINTED MATTER
           Class 283
          283/72 . HAVI NG REVEALABLE CONCEALED INFORMATION, FRAUD PREVENTER OR USE PREVENTER OR DETECTOR, OR I DENTI FI ER
DETECTOR,
           283/74
                           ..ldentifier
           283/75
                           ... Per sonal
                     (1 OR, 1 XR)
  2 347/41
```

```
10586359 CLSTITLES
                          INCREMENTAL PRINTING OF SYMBOLIC INFORMATION
           Class 347
                          .INK JET
           347/1
           347/20
                          .. Ej ect or mechanism (i.e., print head)
           347/40
                          ... Array of ejectors
           347/41
                          ....Interlace
                     (0 OR, 2 XR)
  2 347/102
           Class 347
                          ÍNCREMÉNTAL PRINTING OF SYMBOLIC INFORMATION
           347/1
                          . I NK JET
           347/101
                          .. Medium and processing means
           347/102
                          . Drying or curing
           (1 OR, 1 XR)
Class 347
  2 347/37
                          ÍNCREMENTAL PRINTING OF SYMBOLIC INFORMATION
           347/1
                          . INK JET
           347/20
                          .. Ejector mechanism (i.e., print head)
           347/37
                          ... With means to scan fluid ejector relative to the
receivina medium
                     (0 OR, 2 XR)
ADHESIVE BONDING AND MISCELLANEOUS CHEMICAL MANUFACTURE
  2 156/238
           Class 156
           156/1
                          . METHODS
           156/60
                          ... Surface bonding and/or assembly therefor ... Direct contact transfer of adhered lamina from carrier to
           156/230
base
           156/238
                          .... Running or continuous flexible web carrier
                     (0 OR, 2 XR)
     428/207
  2
           Class 428
                          STOCK MATERIAL OR MISCELLANEOUS ARTICLES
           428/98
                          . STRUCTURALLY DEFINED WEB OR SHEET ( E. G., OVERALL DIMENSION,
ETC.)
                          .. Discontinuous or differential coating, impregnation or
           428/195.1
bond (e.g., artwork, printing, retouched photograph, etc.)
                          ... Including particulate material
           428/206
           428/207
                          .... Including coloring matter
                    (0 OR, 2 XR)

STOCK MATERIAL OR MISCELLANEOUS ARTICLES

TO BE RESPONSIVE TO THE
           Class 428
           428/913
                          . MATERIAL DESIGNED TO BE RESPONSIVE TO TEMPERATURE, LIGHT,
MOI STURE, ETC.
  2 156/209
                     (0 OR, 2 XR)
           Class 156
                          ADHESIVE BONDING AND MISCELLANEOUS CHEMICAL MANUFACTURE
                          . METHODS
           156/1
                          ... Surface bonding and/or assembly therefor ... With permanent bending or reshaping or surface
           156/60
           156/196
deformation of self sustaining lamina
           156/199
                          .... Running or continuous length work
                          .... Surface deformation only (e.g., embossing)
           156/209
    101/453
                     (0 OR, 2 XR)
                          PRI NTI NG
           Class 101
           101/130
                          . PLANCORAPHI C
           101/453
                          ..Lithographic printing plates
                     (2 OR, 0 XR)
PHOTOCOPYING
    355/ 22
           Class 355
           355/ 18
                          . PROJECTI ON PRINTING AND COPYING CAMERAS
           355/22
                          .. St er eoscopi c
                     (0 OR, 2 XR)
  2 355/46
           Class 355
                        PHOTOCOPYI NG
                          . PROJECTI ON PRINTING AND COPYING CAMERAS
           355/18
```

Page 3

```
10586359 CLSTITLES
```

```
355/46
                         . . Pl ur al
                   (2 OR, 0 XR)
9 ELECTRIC HEATING
  2 219/121.7
          Class 219
                         . METAL HEATING (E. G., RESISTANCE HEATING)
          219/50
          219/121.11
                         ..By arc
          219/121.6
                         ...Úsing Laser
                         .... Cutťing
          219/121.67
          219/121.7
                         .... Hole punching
  2 101/129
                   (0 OR, 2 XR)
                       PRI NTI NG
          Class 101
          101/114
                         . STENCI LI NG
          101/129
                         .. Processes
                    (0 OR, 2 XR)
RECORD RECEIVER HAVING PLURAL INTERACTIVE LEAVES OR A
  2 503/211
          Class 503
COLORLESS COLOR FORMER, METHOD OF USE, OR DEVELOPER THEREFOR
          503/200
                         . HAVI NG A COLORLESS COLOR-FORMER, DEVELOPER THEREFOR, OR
METHOD OF USE
          503/210
                         ..Heavy metal reactant
          503/211
                         ... Met al of atomic number 22-30
          (0 OR, 2 XR)
Class 347
  2 347/171
                         INCREMENTAL PRINTING OF SYMBOLIC INFORMATION
          347/171
                         . THERMAL MARKING APPARATUS OR PROCESSES
                    (2 OR, 0 XR)
  2 347/8
          Class 347
                         ÍNCREMÉNTAL PRINTING OF SYMBOLIC INFORMATION
                         . I NK JET
          347/1
          347/5
                         .. Controller
          347/8
                         ... Of spacing between fluid ejector and receiving medium
          (2 OR, 0 XR)
Class 347
  2 347/19
                         ÍNCREMENTAL PRINTING OF SYMBOLIC INFORMATION
                         . I NK JET
          347/ 1
          347/5
                         .. Controller
          347/19
                         ... Measuring and testing (e.g., diagnostics)
                    (0 OR, 2 XR)
'INCREMENTAL PRINTING OF SYMBOLIC INFORMATION
  2 347/43
          Class 347
                         . I NK JET
          347/1
                         .. Ej ect or mechanism (i.e., print head)
          347/20
                         ... Array of ejectors
          347/40
          347/43
                         .... Color type
                    (0 OR, 2 XR)
ADHESIVE BONDING AND MISCELLANEOUS CHEMICAL MANUFACTURE
  2 156/222
          Class 156
                          . METHODS
          156/1
          156/60
                         ...Surface bonding and/or assembly therefor ... With permanent bending or reshaping or surface
          156/196
deformation of self sustaining lamina
          156/221
                         .... Subsequent to assembly
          156/222
                         .... Of parallel stacked sheets only
                    (1 OR, 1 XR)
ADHESIVE BONDING AND MISCELLANEOUS CHEMICAL MANUFACTURE
  2 156/279
          Class 156
                         . METHODS
          156/1
          156/60
                         .. Surface bonding and/or assembly therefor
                         ... With coating of nonadherent face of lamina
          156/278
          156/279
                         .... Coating with fibers or particles
                    (0 OR, 2 XR)
  2 428/317.9
```

```
10586359 CLSTITLES
                          STOCK MATERIAL OR MISCELLANEOUS ARTICLES
          Class 428
           428/221
                          . WEB OR SHEET CONTAINING STRUCTURALLY DEFINED ELEMENT OR
COMPONENT
          428/304.4
                          ... Composite having voids in a component (e.g., porous,
          et c.)
428/317.9
cellular,
                          ... Voi d-containing component contains also a solid fiber or
solid particle
                    (0 OR, 2 XR)
  2 428/320.2
                          STOCK MATERIAL OR MISCELLANEOUS ARTICLES
          Class 428
          428/221
                          . WEB OR SHEET CONTAINING STRUCTURALLY DEFINED ELEMENT OR
COMPONENT
           428/320.2
                         .. Composite having a component wherein a constituent is
liquid or is contained within preformed walls (e.g., impregnant-filled, previously
void containing component, etc.)
                    (0 OR, 2 XR)
  2 428/164
          Class 428
                          STOCK MATERIAL OR MISCELLANEOUS ARTICLES
          428/98
                          . STRUCTURALLY DEFINED WEB OR SHEET (E.G., OVERALL DIMENSION,
ETC.)
                         ...Including variation in thickness
          428/156
          428/161
                          ... With component conforming to contour of nonplanar surface
          428/164
                          .... Containing metal or metal compound
                    (0 OR, 2 XR)
    428/ 165
          Class 428
                          STOCK MATERIAL OR MISCELLANEOUS ARTICLES
           428/98
                          . STRUCTURALLY DEFINED WEB OR SHEET (E.G., OVERALL DIMENSION,
ETC.)
          428/156
                          ... Including variation in thickness
          428/161
                          ... With component conforming to contour of nonplanar surface
          428/165
                          .... Including cellulosic or natural rubber component
  2 430/49.6
                    (1 OR, 1 XR)
          Class 430
                          RADIATÍON IMAGERY CHEMISTRY: PROCESS, COMPOSITION, OR
PRODUCT THEREOF
                          .ELECTRIC OR MAGNETIC IMAGERY, E.G., XEROGRAPHY,
           430/31
ELECTROGRAPHY, MAGNETOGRAPHY, ETC., PROCESS, COMPOSITION, OR PRODUCT
          430/49.1
                         .. To produce printing surface
          430/49.5
                         ... Posttreatment making nonimaged or nontoned areas
hvdr ophi I i c
          430/49.6
                          .... Li qui d post treat ment
                    (0 OR, 2 XR)
  2 430/94
                          RADIATION I MAGERY CHEMISTRY: PROCESS, COMPOSITION, OR
          Class 430
PRODUCT THEREOF
          430/31
                          ELECTRIC OR MAGNETIC I MAGERY, E.G., XEROGRAPHY,
ELECTROGRAPHY, MAGNETOGRAPHY, ETC., PROCESS, COMPOSITION, OR PRODUCT 430/56 ... Radiation-sensitive composition or product
                         .. Radiation-sensitive composition or product
          430/84
                         ...Inorganic radiation conductive composition
          430/94
                         . . . . Cadmi um cont ai ni ng
                    (0 OR, 2 XR)
  2 101/465
                          PRĪNTING
          Class 101
           101/130
                          . PLANCORAPHI C
                          ..Lithographic plate making, and processes of making or
          101/463.1
using copy elements, and elements per se
101/465 ... Making plate s
                         ... Making plate surface portions ink repellent or ink
receptive
                    (1 OR, 1 XR)
  2 223/28
                          APPAREL APPARATUS
          Class 223
```

. PLAITING, FLUTING, AND SHIRRING

223/28

10586359_CLSTI TLES

(0 OR, 2 XR) 01 PRINTING 2 101/470 101/463.1 ..Lithographic plate making, and processes of making or using copy elements, and elements per se Class 101 101/470 Utilizing radiant energy or heat (0 OR, 2 XR) 2 8/471 BLEACHÍNG AND DYEING; FLUID TREATMENT AND CHEMICAL Class 8 MODIFICATION OF TEXTILES AND FIBERS . DI FFUSI ON TRANSFER DYEI NG PROCESS, TRANSFER SHEET AND 8/467 **PRODUCT** ...Dry heat treatment for penetration ...Sublimation 8/470 8/471